

Euler Complexes

Jack Edmonds
Équipe Combinatoire & Optimisation
Université Pierre et Marie Curie
Paris

Abstract

We present a class of instances of the existence of a second object of a specified type, in fact, of an even number of objects of a specified type, which generalizes the existence of an equilibrium for bimatrix games. The proof is an abstract generalization of the Lemke-Howson algorithm for finding an equilibrium of a bimatrix game.

Keywords exchange algorithm, Euler complex, simplicial pseudo-manifold, room family, room partition, Euler graph, binary matroid, Euler binary matroid, Nash equilibrium, Lemke-Howson algorithm, matching algorithm, matroid partition algorithm.

2000 Subject Classification 05C85, 68W40, 91A05, 68R10

A *d-oik*, $C = (V, F)$, short for *d-dimensional Euler complex*, $d \geq 1$, is a finite set V of elements called the vertices of C and a family of $d + 1$ element subsets of V , called the *rooms* of C , such that every d element subset of V is in an even number of the rooms.

A *wall of a room* means a set obtained by deleting one vertex of the room - and so any wall of a room in an oik is the wall of a positive even number of rooms of the oik.

Example 1. A d -dimensional simplicial pseudo-manifold is a d -oik where every d -element subset of vertices is in exactly zero or two rooms, i.e., in a

simplicial pseudo-manifold any wall is the wall of exactly two rooms. An important special case of simplicial pseudo-manifold is a triangulation of a compact manifold such as a sphere.

Example 2. Let $Ax = b, x \geq 0$, be a tableau as in the simplex method, whose solution-set is bounded and whose basic feasible solutions are all non-zero (non-degenerate). Let V be the column-set of A . Let the rooms be the subsets S of columns such that $V - S$ is a feasible basis of the tableau. This is an $(n - r - 1)$ -oik where n is the number of columns of A and r is the rank (the number of rows) of A . In fact it is a triangulation of an $(n - r - 1)$ -dimensional sphere – in particular it is combinatorially the boundary of a ‘simplicial polytope’.

Example 3. Let the n members of set V be colored with r colors. Let the rooms be the subsets S of V such that $V - S$ contains exactly one vertex of each color. This is an $(n - r - 1)$ -oik. In fact it is the oik of Example 2 where each column of A is all zeroes except for one positive entry.

Example 4. An Euler graph, that is a graph such that each of its vertices is in an even number of its edges (the rooms), is a 1-oik.

Example 5. For any connected Euler graph G with n vertices ($n \geq 3$), we have an $(n - 2)$ -oik (V, K) where V is the set of edges of G and the rooms are the edge-sets of the spanning trees of G .

Example 6. For any connected bipartite graph G with m edges and n vertices we have an $(m - n)$ -oik where V is the edge-set of G , and the rooms are the edge-complements of spanning trees of G .

Example 7, generalizing Examples 5 and 6. Where M is an Euler binary matroid, that is a binary matroid of rank r such that each cocircuit, in fact each cocycle, is even, we have an $(r - 1)$ -oik, where V is the set of elements of the matroid, and the rooms are the bases of the matroid.

(A *binary matroid* M is given by a 0-1 matrix, A , mod 2. The elements of M are the columns. The bases of M are the linearly independent sets of columns. The cocycles are the supports of the row vectors generated by the rows of A . The cocircuits are the minimal cocycles. Matroid M is *Euler* when each row of A has an even number of ones. See, e.g., [4, 7].)

Let $M = [(V, F_i) : i = 1, \dots, h]$ be an indexed collection of oiks (which we call an *oik-family*) all on the same vertex-set V .

The oiks of M are not necessarily of the same dimension. Of course, all of them may be the same oik.

A *room-family*, $R = [R_i : i = 1, \dots, h]$, for oik-family M , is where, for each i , R_i is a room of oik i (i.e., a member of F_i). A *room-partition* R for M means a room-family whose rooms partition V , i.e., each vertex is in exactly one room of R .

Theorem 1 *Given an oik-family M and a room-partition R for M , there exists another different room-partition for M . In fact, for any oik-family M , there is an even number of room-partitions.*

Proof. Choose a vertex, say w , to be special. A *w-skew room-family* for oik-family M means a room-family, $R = [R_i : i = 1, \dots, h]$, for M such that w is not in any of the rooms R_i , some vertex v is in exactly two of the R_i , and every other vertex is in exactly one of the R_i .

Consider the so-called exchange-graph X , determined by M and w , where the nodes of X are all the room-partitions for M and all the w -skew room-families for M . Two nodes of X are joined by an edge of X if each is obtained from the other by replacing one room by another. It is easy to see that the odd-degree nodes of X are all the room-partitions for M , and all the even-degree nodes of X are the w -skew room-families for M . Hence there is an even number of room-partitions for M . \square

‘Exchange algorithm’: An algorithm for getting from one room-partition for M to another is to walk along a path in X , not repeating any edge of X , from one to another. Where each oik of the oik-family M is a simplicial pseudo-manifold, X consists of disjoint simple paths and simple cycles, and so the algorithm is uniquely determined by M and w .

Where oik-family M consists of two oiks of the kind in Example 2, the exchange algorithm is the Lemke-Howson algorithm for finding a Nash equilibrium of a 2-person game. Salvani and Von Stengel [6] show that the number of steps in the Lemke-Howson algorithm can grow exponentially relative to the size of the two tableaux of the game.

It is not known whether there is a polytime algorithm for finding a Nash equilibrium of a 2-person game. Chen and Deng [3] (see also [5]) proved a deep completeness result which is regarded as some evidence that there might not be a polytime algorithm.

Suppose each oik of M is given by an explicit list of its rooms, each oik perhaps a simplicial pseudo-manifold, perhaps a 2-dimensional sphere. Is some path of the exchange graph not well-bounded by the number of rooms?

How about the exchange algorithm when each oik of M is a 1-oik? If each oik of M is the same 1-oik then the well-known, non-trivial, non-bipartite matching algorithm [4, 7] can be used to find, if there is one, a first and a second room-partition.

How about the exchange algorithm where each oik of M is an Euler binary matroid? For an oik-family like that, the well-known, non-trivial, ‘matroid partition’ algorithm [4, 7] can be used to find, if there is one, a first and a second room-partition.

In [2], different exchange graphs were studied. In [1], it was shown that Thomason’s [8] exchange graph algorithm for finding a second hamiltonian circuit in a cubic graph is exponential relative to the size of the given graph.

References

- [1] K. Cameron, Thomason’s algorithm for finding a second hamiltonian circuit through a given edge in a cubic graph is exponential on Krawczyk’s graphs, *Discrete Mathematics* **235** (2001), 69–77.
- [2] K. Cameron and J. Edmonds, Some graphic uses of an even number of odd nodes, *Annales de l’Institut Fourier* **49** (1999), 815–827.
- [3] Xi Chen and Xiaotie Deng, Settling the complexity of two-player Nash equilibrium, *FOCS 2006*, 261–272.
- [4] Bernhard Korte and Jens Vygen, *Combinatorial Optimization: Theory and Algorithms*, Fourth edition, *Algorithms and Combinatorics* **21**, Springer-Verlag, Berlin, 2008.
- [5] Christos H. Papadimitriou, On the complexity of the parity argument and other inefficient proofs of existence, *J. Comput.Syst. Sci.* **48**(3) (1994), 498–532.
- [6] Rahul Savani and Bernhard von Stengel, Hard-to-solve bimatrix games, *Econometrica* **74**(2) (2006), 397–429.

- [7] Alexander Schrijver, *Combinatorial Optimization: Polyhedra and Efficiency, Algorithms and Combinatorics* **24**, Springer-Verlag, Berlin, 2003.
- [8] A. G. Thomason, Hamiltonian cycles and uniquely edge colourable graphs, *Ann. Discrete Math.* **3** (1978), 259–268.