



+ (concatenation), 284
 := (assignment operator), 283
 :- (Prolog if symbol), 318
 /* (comment), 287
 // (comment), 287
 = (assignment operator), 283
 .NET Framework, 173, 344, 553

A

Abacus, 20
 Abstract data type, 394
 Abstraction, 26, 369, 384, 386
 Abstract tools, 27, 40, 220, 337, 369, 386, 390
 Access (Microsoft database system), 414
 Access time, 48
 Activation (of a procedure), 246
 Active Server Pages (ASP), 189
 Actors, 348
 Actual parameter, 291
 Ada, 277, 283, 312, 551
 Adaptive dictionary encoding, 78
 Adaptor pattern, 351
 Address (of memory cell), 44
 Address polynomial, 374
 Adleman, Leonard, 200, 529
 Administrator, 155
 Adobe Systems, 58
 Agent, 452
 Aiken, Howard, 22
 Alexander, Christopher, 352
 Algebraic coding theory, 86
 Algorithm, 18, 213, 215
 discovery of, 223
 complexity/efficiency of, 249
 representation of, 215
 verification of, 253
 Algorithm analysis, 250

ALVINN. *See* Autonomous Land Vehicle in a Neural Net
 Ambiguous grammar, 300
 AMD, 96
 American Institute of Electrical Engineers, 330
 America Online, 441
 American National Standards Institute (ANSI), 53, 55, 271
 American Standard Code for Information Interchange (ASCII), 54, 543
 Analog (vs. digital), 65
 Analytical Engine, 21, 22
 AND, 36, 113
 Anonymous FTP, 178
 Anticybersquatting Protection Act, 204
 Antivirus software, 199
 APL, 283
 Apple Computer, Inc. ,25, 57, 99, 136, 179
 Applet, 189
 Application layer (Internet), 191
 Application Programmer Interface (API), 343
 Application software, 140
 Argument (of a predicate), 317
 Aristotle, 30
 Arithmetic/logic unit, 96
 Arithmetic shift, 115
 Array
 heterogeneous, 281, 366, 374
 homogeneous, 312, 366, 371
 Artificial intelligence, 451, 456
 Artificial neural network, 124, 480
 ASCII. *See* American Standard Code for Information Interchange
 Asimo, 490
 ASP. *See* Active Server Pages
 Assembler, 269
 Assembly language, 269

Assertion, 256
 Assignment statement, 219, 283
 Association (UML), 349
 Association analysis, 440
 Association for Computing Machinery (ACM), 329, 330
 Associative memory, 486
 Atanasoff-Berry machine, 23
 Atanasoff, John, 23
 AT&T, 257
 Athlon (cpu), 96
 Attribute, 413
 Auditing Software, 155, 199
 Authentication, 202, 436
 Autonomous Land Vehicle in a Neural Net (ALVINN), 478, 485
 Average-case analysis, 250
 Axiom, 255
 Axon, 480

B

Babbage, Charles, 21, 22, 551
 Backtracking, 403
 Balanced tree, 383
 Bandwidth, 123
 Bare Bones language, 509, 559
 Universality of, 513
 Base (of stack), 366
 Base case (recursion), 246
 Base Two. *See* Binary system
 Basic Input/Output System, 146
 Basis path testing, 353
 Batch processing, 136
 Beethoven's Fifth Symphony, 187
 Behavior-based intelligence, 473
 Bell Laboratories, 22, 551, 552
 Benchmark, 112
 Beta testing, 353
 Beta version, 353
 Berners-Lee, Tim, 181
 Berry, Clifford, 23
 Best-case analysis, 250
 Big O notation, 521
 Big theta notation, 253
 Binary file (FTP), 178

Binary notation. *See* Binary system
 Binary search algorithm, 246, 249, 386
 complexity of, 249, 521
 Binary system, 55, 60
 Binary tree, 368, 381
 Bioinformatics, 440
 BIOS. *See* Basic Input/Output System
 Bit, 36
 Bit map, 56, 114
 Bits per second (bps), 82, 122
 Black-box testing, 353
 Body (of a loop), 232
 Boole, George, 36
 Boolean data type, 279
 Boolean operations, 36
 Booting, 145
 Bootstrap, 145
 Bourne shell, 142
 Bottom (of stack), 366
 Bottom-up methodology, 227
 Boundary value analysis, 354
 Bps. *See* Bits per second
 Branch (tree), 368
 Breadth-first search, 470
 Bridge, 168
 Broadband, 123
 Browser, 181
 Bubble sort algorithm, 239, 241
 Bucket (hashing), 435
 Buffer, 53
 Bus, 96
 Bus network topology, 164
 Byron, Augusta Ada, 22
 Byte, 43
 Bytecode, 298

C

C, 276, 277, 278, 279, 280, 286, 291, 372, 551
 C + +, 276, 277, 278, 279, 281, 282, 286, 287, 306, 308, 309
 C#, 276, 277, 278, 279, 281, 282, 286, 287, 306, 308, 309, 343
 Cache memory, 98
 Call (procedure), 289
 Camel casing, 222

- Carnegie-Mellon University, 203, 478
- Carnivore, 204
- Carriage return, 178
- Carrier Sense, Multiple Access with Collision Detection (CSMA/CD), 167
- Cascading rollback, 428
- CASE. *See* Computer-aided software engineering
- Case control structure, 285
- CASE tools, 330
- CD. *See* Compact disk
- CD-DA. *See* Compact disk-digital audio
- Cell (memory), 43
- Celeron (cpu), 96
- Central processing unit (CPU), 96
- CERN, 183
- CERT. *See* Computer Emergency Response Team
- Certificate, 202
- Certificate authority, 202
- CGI. *See* Common gateway interface
- Character-based ethics, 30
- Character data type, 279
- Check byte, 84
- Check sum, 84
- Children (in a tree), 368
- Chip, 41
- Chrominance, 57
- Church, Alonzo, 507
- Church-Turing thesis, 507, 559
- Circular queue, 380
- Circular shift, 115
- CISC. *See* Complex instruction set computer
- Class, 276, 395
- Class description, 439
- Class diagram, 349
- Class discrimination, 439
- Class library (.NET Framework), 343
- Class-responsibility-collaboration (CRC) cards, 351
- Clause form, 315
- Client, 170
- Client/Server model, 270
- Client-side, 188
- Clock, 42, 110
- Closed network, 164
- Closed-world assumption, 477
- Cloud (Internet), 174
- Clowes, M. B., 592
- Cluster analysis, 440
- Clustering (hashing), 437
- COBOL, 270
- Code generator, 297
- Code generation, 303
- Code optimization, 303
- Coercion, 302
- Cohesion (intramodule), 342
- Collaboration diagram, 340
- Collision (hashing), 438
- Colossus, 23
- Column major order, 373
- Comments, 277, 287
- Commit point, 428
- Commit/Rollback protocol, 428
- Commodore, 25
- Common gateway interface (CGI), 189
- Communication Assistance for Law Enforcement Act (CALEA), 204
- Compact disk (CD), 49
- Compact disk-digital audio (CD-DA), 50, 86
- Compiler, 270
- Complement (of a bit), 67
- Complex instruction set computer (CISC), 99, 102
- Complexity/Efficiency, 520
 - of binary search, 249, 521
 - of insertion sort, 250, 522
 - of merge sort, 522
 - of sequential search, 249, 521
- Component (of an array), 366
- Component (of software), 304, 343
- Component architecture, 304, 343
- Component assembler, 304, 344
- CompuServe, 79
- Computable function, 504
- Computer-aided design (CAD), 58
- Computer-aided software engineering (CASE), 330
- Computer Emergency Response Team (CERT), 203
- Computer Fraud Abuse Act, 203
- Computer Science (definition), 18, 25
- Computer Society, 330
- Concatenation, 284
- Concurrent processing, 312
- Conditional jump, 100

- Connectionless protocol, 195
 - Consequence-based ethics, 30
 - Constant, 282
 - Constructor, 308
 - Context switch, 148
 - Contextual analysis, 461
 - Contiguous list. *See* List
 - Contract-based ethics, 30
 - Control coupling, 341
 - Controller, 118
 - Control of repetitive structures
 - iteration (looping), 232
 - recursion, 246
 - Control statements, 284
 - Control unit, 96
 - Cookies, 209
 - Copyright law, 356
 - Core, 129
 - Core wars, 129
 - Country-code TLD, 176
 - Coupling (intermodule), 340
 - CPU. *See* Central processing unit
 - CRC cards. *See* Class-responsibility-collaboration cards
 - Critical region, 152
 - Cross-platform software, 271
 - C shell, 142
 - CSMA/CD. *See* Carrier Sense, Multiple Access with Collision Detection
 - Cybersquatting, 204
 - Cyclic redundancy checks, 84
 - Cylinder, 47
- D**
- Dartmouth College, 456
 - Darwin, Charles, 492
 - Database, 408
 - Database management system (DBMS), 410
 - Database model, 412
 - Data compression, 77
 - Data coupling, 341
 - Data cubes, 441
 - Data dictionary, 347
 - Dataflow diagram, 345
 - Data independence, 411
 - Data mining, 439
 - Data structure, 280
 - Dynamic vs. static, 369
 - Data type, 278
 - Boolean, 279
 - Character, 279
 - Float, 278
 - Integer, 278
 - Real, 278
 - Data warehouse, 439
 - Deadlock, 152
 - Deadlock avoidance, 153
 - Deadlock detection/correction, 152
 - Debugging, 268
 - Declarative knowledge, 453
 - Declarative paradigm, 273
 - Declarative statements, 277
 - Decorator pattern, 351
 - Decryption keys, 529
 - Defect testing, 335
 - Defense Advanced Research Projects Agency (DARPA), 173, 203
 - Degenerative case (recursion), 246
 - Dendrite, 480
 - Denial of service, 197
 - Depth (of a tree), 368
 - Depth-first search, 470
 - Design pattern, 383
 - Device driver, 144
 - Dewey, John, 538
 - Dictionary encoding, 78
 - Difference engine, 21, 22, 24
 - Differential encoding, 78
 - Digital (vs. analog), 65
 - Digital camera, 57
 - Digital signature, 202
 - Digital subscriber line (DSL), 122
 - Digital versatile disk (DVD), 51
 - Digital zoom, 57
 - Dijkstra, E. W., 160
 - Dining philosophers, 160
 - Direct addressing, 399
 - Directed graph, 154, 464
 - Direct memory access (DMA), 120
 - Directory, 143

Directory path, 144
 Disclaimer, 358
 Discrete cosine transform, 80
 Diskette, 48
 Disk storage (magnetic), 47
 Dispatcher, 145
 Distributed database, 410, 411
 Distributed system, 172
 DMA. *See* Direct memory access
 DNS. *See* Domain name system
 DOCTOR (ELIZA) program, 456
 Documentation, 354
 by comment statements, 287
 Domain, 173
 Domain name, 176
 Domain name system, 177
 Dotted decimal notation, 59, 176
 DRAM. *See* Dynamic memory
 Dual-core cpu, 124
 Duty-based ethics, 30
 DVD. *See* Digital versatile disk
 Dynamic memory, 44

E

Eckert, J. Presper, 23, 105
 Edge enhancement, 458
 Edison, Thomas, 105, 330
 Editor, 54, 304
 Effective, 213
 Effective input (of a processing unit), 481
 Eight-puzzle, 454
 Electronic Communication Privacy Act
 (ECPA), 203
 Email, 178
 Encapsulation, 311
 Encryption keys, 429
 End-of-file (EOF), 432
 ENIAC, 23
 Enterprise JavaBeans, 172
 Entity-relationship diagram, 346
 ELIZA program, 456
 EOF. *See* End-of-file
 Error-correcting code, 84
 Ethernet, 165, 170
 Ethics, 30

Euclid, 18
 Euclidean algorithm, 223
 Euclidean geometry, 255
 Even parity, 84
 Event-driven software, 296
 Evolutionary programming, 479
 Evolutionary prototyping, 336
 Evolutionary robotics, 491
 Exception, 551
 Excess notation, 69
 Exclusive lock, 429
 Exclusive or (XOR), 37, 113, 115
 Expert system, 467
 Explicit coupling, 341
 Exponent field, 73
 Exponential time, 525
 Extensible Markup Language (XML), 187
 Extreme programming, 336

F

Factorial, 262
 Fibonacci sequence, 260
 Field (in a record), 52
 FIFO. *See* First in, first out
 File, 51
 File descriptor, 144
 File manager, 143
 File server, 171
 File transfer protocol (FTP), 178, 194
 Firewall, 198
 FireWire, 118, 121
 First-generation language, 269
 First in, first out (FIFO), 136, 367
 First-order predicate logic, 315
 Fixed-format language, 297
 Flash, 189
 Flash drive, 51
 Flash memory, 51
 Flat file, 408
 Flip-flop, 39
 Floating-point notation, 56, 72
 normalized form, 74
 Floppy disk, 48
 Flowchart, 218, 234
 Flowers, Tommy, 23

- Folder, 143
 - Forking, 152
 - Formal language, 270
 - Formal logic, 274
 - Formal parameter, 291
 - Formatting (a disk), 48
 - For statement, 286
 - FORTRAN, 270, 277, 280, 281, 286, 556
 - Frame problem, 477
 - Framework (.Net), 173, 352, 553
 - Free-format language, 297
 - Frequency-dependent encoding, 77
 - Frequency masking, 81
 - FTP. *See* File Transfer Protocol
 - FTPS, 200
 - FTP server, 178
 - FTP site, 178
 - Full tree, 383
 - Function
 - abstract, 274, 502
 - computation of, 502
 - program unit, 220, 274, 295
 - Functional cohesion, 342
 - Functional paradigm, 274
- G**
- G5 (cpu), 99
 - Gandhi, Mahatma, 492
 - Garbage collection, 389
 - Gate, 37
 - Gateway, 174
 - GB. *See* Gigabyte
 - Gbps. *See* Giga-bps
 - General Motors, 133
 - General-purpose register, 96
 - Generations (of programming languages), 269
 - Genetic algorithms, 478
 - Gibi, 45
 - GIF, 79
 - Giga-bps (Gbps), 82, 122
 - Gigabyte, 45
 - Gigahertz, 110
 - Glass-box testing, 353
 - Global data, 341
 - Global variable, 289
 - Goal directed behavior, 452
 - Gödel, Kurt, 20, 25, 508
 - Gödel's incompleteness theorem, 20, 25
 - Goto statement, 284
 - Grammar, 298
 - Graph, 464
 - Graphical user interface (GUI), 142
 - Graph theory, 353
 - Greatest common divisor, 18
 - GUI. *See* Graphical user interface
- H**
- Halting problem, 515
 - Hamming, R. W., 84
 - Hamming distance, 84
 - Handshaking, 120
 - Hard disk, 48
 - Hardware, 18
 - Harvard University, 22, 255
 - Hash function, 435
 - Hash file, 435
 - Hash table, 435
 - Hashing, 434
 - Head (of a list), 366
 - Head crash, 48
 - Head pointer, 376, 379
 - Heap sort algorithm, 241
 - Heathkit, 25
 - Help packages, 354
 - Hertz (Hz), 110
 - Heterogeneous array, 281, 366, 374
 - Heuristic, 470
 - Hexadecimal notation, 41
 - High-order end, 43
 - Hill climbing, 593
 - Hollerith, Herman, 22
 - Home page, 182
 - Homogeneous array, 280, 366, 371
 - Honda, 490
 - Hop count, 196
 - Hopfield networks, 486
 - Hopper, Grace, 270, 460
 - Host, 172
 - Host address, 176
 - Hot spot, 175

HTML. *See* Hypertext Markup Language
 HTTP. *See* Hypertext Transfer Protocol
 HTTPS, 200
 Hub, 165
 Huffman code, 77
 Huffman, David A., 77, 592
 Hyperlink, 180
 Hypermedia, 180
 Hypertext, 180
 Hypertext Transfer Protocol (HTTP), 181, 194
 Hypertext Markup Language (HTML), 183

I

IBM, 22, 25, 99, 136, 166, 357
 ICANN. *See* Internet Corporation for Assigned Names and Numbers
 IEEE Computer Society, 330
 IEEE 802, 170
 Identifiers, 269
 If statement, 219, 285
 I-frame, 81
 Image analysis, 458
 Image processing, 458
 IMAP. *See* Internet Mail Access Protocol
 Imitation (learning by), 478
 Immediate addressing, 399
 Imperative paradigm, 273, 337, 344
 Imperative statements, 277
 Implicit coupling, 341
 Inconsistent (statements), 315
 Incorrect summary problem, 429
 Incremental model, 336
 Incubation period (problem solving), 226
 Indexed file, 433
 Indices, 280
 Indirect addressing, 399
 Inference rule, 314, 466
 Information extraction, 461
 Information retrieval, 461
 Inheritance, 309, 350
 Input/output (I/O), 100
 Input/output instructions (machine level), 100, 120
 IRobot Roomba vacuum cleaner, 490
 Insertion sort algorithm, 238
 complexity of, 250, 522
 Instance (of a class), 276, 307
 Instance (of a data type), 393
 Instance variable, 307
 Institute of Electrical and Electronics Engineers (IEEE), 330, 333
 Institute of Radio Engineers, 330
 Instruction pointer, 370
 Instruction register, 106
 Integer data type, 278
 Intel, 96
 Interactive processing, 138
 International Court of Justice, 202
 International Organization for Standardization (ISO), 54, 57, 194, 271
 Internet, 169
 Internet (the), 169, 173
 Internet, 18, 174
 Internet Corporation for Assigned Names and Numbers (ICANN), 173
 Internet mail access protocol, 179
 Internet Protocol (IP), 194
 Internet service provider, 174
 Interpreter, 270
 Interprocess communication, 170
 Interrupt, 148
 Interrupt disable instruction, 151
 Interrupt enable instruction, 151
 Interrupt handler, 149
 Intractable problem, 526
 I/O. *See* Input/output
 I/O bound, 159
 Iowa State College (University), 23
 IP. *See* Internet Protocol
 IP address, 176
 IPv4, 196
 IPv6, 196
 IQ test, 492
 ISO. *See* International Organization for Standardization
 ISP. *See* Internet service provider
 Iterative structures, 229, 559
 Iverson, Kenneth E., 283

J

Jacquard, Joseph, 22

Jacquard loom, 22
 Java, 189, 276, 277, 278, 279, 281, 282, 284, 286, 287, 298, 306, 308, 309, 312, 345, 372, 395, 396, 558
 JavaBeans, 344
 JavaScript, 189
 JavaServer Pages (JSP), 189
 JCL (job control language), 139
 Job, 136
 Job queue, 136
 Jobs, Steve, 23
 JOIN (database operation), 418
 Joint Photographic Experts Group, 80
 JPEG, 80
 JSP. *See* JavaServer Pages

K

KB. *See* Kilobyte
 Kbps. *See* Kilo-bps
 Kernel, 143
 Key (cryptography), 201
 Key field, 52, 432, 433, 435
 Key words, 298
 Kibi, 45
 Kibibyte, 45
 Kill (a process), 153
 Kilo-bps (Kbps), 82, 122
 Kilobyte, 45
 Knapsack problem, 537
 Korn shell, 142

L

LAN. *See* Local area network
 Language extensions, 271
 Last in, first out (LIFO), 367
 Latency time, 48
 Leaf node, 368
 Least significant bit, 43
 Left child pointer, 381
 Lempel, Abraham, 78
 Lempel-Ziv-Welsh encoding, 78
 Leonardo da Vinci, 105
 Lexical analysis, 297
 Lexical analyzer, 297
 Lg (logarithm base two), 250, 524
 Leibniz, Gottfried Wilhelm, 21

LIFO. *See* Last in, first out
 Linear algebra, 86
 Line feed, 178
 Linguistics, 455
 Link layer (Internet), 191
 Linux, 136, 142
 LISP, 274
 List, 366
 contiguous, 376
 linked, 376
 Literal, 282
 Load balancing, 139
 Load factor (hash file), 438
 Local area network (LAN), 164
 Local variables, 289
 Locking protocol, 429
 Logarithm (base2), 250
 Logical cohesion, 342
 Logical deduction, 466
 Logical record, 52
 Logical shift, 115
 Logic programming, 274, 317, 479
 Login, 155
 Long division algorithm, 18, 214
 Lookahead carry adder, 547
 Look and feel, 357
 Loop, 232
 Loop invariant, 256
 Loop structures. *See* Iterative structure
Lord of the Rings, 453
 Lossless compression, 77
 Lossless decomposition, 417
 Lossy compression, 77
 Lost update problem, 429
 Lotus Development Corporation, 357
 Lotus 1-2-3, 357
 Loveless, Ada, 22
 Low-order end, 43
 Luminance, 57

M

Machine cycle, 106
 Machine independence, 269
 Machine instructions, 99, 549
 ADD, 103, 116

- AND, 100
 - BRANCH, 100
 - HALT, 102
 - Interrupt disable, 151
 - Interrupt enable, 151
 - I/O, 100, 120
 - JUMP, 100, 107, 284
 - LOAD, 100, 103, 119
 - OR, 100
 - ROTATE, 100
 - SHIFT, 100
 - STORE, 100, 102, 119
 - Test-and-set, 152
 - XOR (exclusive or), 100
 - Machine language, 99, 397, 549
 - Mac OS, 136
 - Macromedia, 189
 - Magnetic disk, 47
 - Magnetic tape, 49
 - Mail server, 178
 - Main memory, 43
 - Malware, 196
 - MAN. *See* Metropolitan area network
 - Manchester encoding, 170
 - Mantissa field, 73
 - Many-to-many relationship, 346
 - Mark I, 22, 255
 - Markup language, 187
 - Mask, 114
 - Masking, 114
 - Mass storage, 46
 - Master file, 432
 - Matrix theory, 86
 - Mauchly, John, 23
 - MB. *See* Megabyte
 - Mbps. *See* Mega-bps
 - McCarthy, John, 456
 - MD5, 436
 - Mebi, 45
 - Mebibyte, 45
 - Mega-bps (Mbps), 82, 122
 - Megabyte, 45
 - Megahertz, 45
 - Member function, 307
 - Memory leak, 389
 - Memory manager, 144
 - Memory mapped I/O, 119
 - Merge algorithm, 433
 - Merge sort algorithm, 241, 522
 - Complexity of, 522
 - Meta-reasoning, 477
 - Method, 275, 307
 - Metric, 328
 - Metropolitan area network (MAN), 164
 - Microsecond, 129
 - Microsoft Corporation, 25, 57, 136, 137, 173, 179, 189, 290, 344, 352, 414, 553
 - MIDI. *See* Musical Instrument Digital Interface
 - Miller, George A., 218
 - Millisecond, 49
 - MIMD, 125
 - Modem, 122
 - Mod, 530
 - Modular notation, 530
 - Modularity, 337
 - Module, 220, 337
 - Mondrian, Piet, 242
 - Monitor, 313
 - Moore School of Engineering, 23, 105
 - Mosaic Software, 357
 - Most significant bit, 43
 - Motherboard, 96
 - Motion Picture Experts Group (MPEG), 81
 - Motorola, 99
 - Mouse, 142
 - MP3, 81
 - MPEG. *See* Motion Picture Experts Group
 - MS-DOS, 142
 - Multiplexing, 122
 - Multitasking, 139
 - Musical Instruments Digital Interface (MIDI), 58
 - Mutual exclusion, 152
 - MySQL, 422
- N**
- Name server, 177
 - NAND, 43
 - Nanosecond, 48
 - NASA Mars rover, 490
 - Natural language, 270

Natural language processing, 455, 460
 NET (.NET Framework), 173, 352
 Netscape Communications, Inc., 189
 Network, 164
 Network topologies, 164
 Network identifier, 176
 Network layer (Internet), 191
 Network Virtual Terminal (NVT), 180
 Neuron, 125, 480
 Neural network (biological), 125, 480
 Newton, Isaac, 329
 NIL pointer, 376
 Node, 368, 464
 Nondeterministic algorithm, 213, 527
 Nondeterministic polynomial (NP) problems, 528
 Nondisclosure agreement, 358
 Nonloss decomposition, 417
 Nonterminal, 299
 NOR, 42
 Normalized form, 74
 NOT, 37
 Novell, Inc., 164
 NP problems. *See* Nondeterministic polynomial problems
 NP-complete problem, 528
 NULL pointer, 376
 Numerical analysis, 75

O

Object, 275, 305
 Object-oriented database, 424
 Object-oriented paradigm, 275, 337, 343, 344, 348
 Object-oriented programming, 275
 Object program, 297
 Odd parity, 83
 Off-line, 46
 One-to-many relationship, 346
 One-to-one relationship, 346
 On-line, 46
 OOP. *See* Object-oriented programming
 Op-code, 101
 Open network, 164
 Open-source development, 336
 Open (file operation), 144
 Open System Interconnect (OSI), 195

Operand, 101
 Operating system, 136
 Operator precedence, 283
 Optical zoom, 57
 OR, 36, 113, 114
 Orwell, George (Eric Blair), 32
 OSI. *See* Open System Interconnect
 OSI reference model, 195
 Outlier analysis, 440
 Overflow error, 69
 Overloading, 284

P

P. *See* Polynomial problems
 P2P. *See* Peer-to-peer model
 Packet, 193
 Page (memory), 145
 Paging, 145
 Parallel algorithm, 213
 Parallel communication, 121
 Parallel processing, 124, 312
 Parameter, 221, 291
 passed by reference, 292
 passed by value, 292
 passed by value-result, 322
 Parent node, 368
 Pareto principle, 352
 Pareto, Vilfredo, 352
 Parity bit, 83
 Parser, 297
 Parse tree, 300
 Parsing, 297
 Pascal, Blaise, 21
 Pascal casing, 222
 Password, 156
 Patent law, 357
 PC. *See* Personal computer
 Peer-to-peer model, 171
 Pentium (cpu), 96, 99, 255
 Performance oriented research, 455
 Persistent (object), 425
 Personal computer (PC), 25
 Personal digital assistant (PDA), 25, 51
 PGP. *See* Pretty good privacy
 Phishing, 197

- PHP Hypertext Processor, 189
 - Physical record, 52
 - Pipelining, 124
 - Pixel, 56
 - Planned obsolescence, 133
 - Plato, 30
 - Poincare, H., 226
 - Pointer, 369, 379
 - Polya, G., 224
 - Polymorphism, 311
 - Polynomial problems, 525
 - Pop (stack operation), 367
 - POP3. *See* Post Office Protocol-version
 - Port (I/O), 118
 - Port number, 194
 - Post, Emil, 508
 - Post Office Protocol-version 3 (POP3), 179
 - PostScript, 57
 - Posttest loop, 235
 - PowerPC, 99
 - Precedence (of operators), 283
 - Preconditions (proof of correctness), 255
 - Predicate, 317
 - Pretest loop, 235
 - Pretty good privacy, 200
 - Prime number, 437
 - Primitive, 217
 - Primitive data type, 279
 - Print server, 170
 - Privacy Act of, 442
 - Private key, 201, 530
 - Privileged instructions, 157
 - Privilege levels, 157
 - Problem solving, 223
 - Procedural knowledge, 453
 - Procedural paradigm, 273
 - Procedure, 220, 289
 - Procedure call, 289
 - Procedure's header, 289
 - Process, 147, 215
 - Processing unit (neural net), 480
 - Process state, 147
 - Process switch, 148
 - Process table, 148
 - Production system, 464
 - control system, 464
 - goal state, 464
 - production, 464
 - start state, 464
 - state graph, 464
 - Program, 18, 215
 - Programmer, 304, 334
 - Program counter, 106
 - Programming language, 217
 - Programming paradigms, 272
 - PROJECT (database operation), 418
 - Prolog, 317
 - Proof by contradiction, 517
 - Proof of correctness, 254
 - Proprietary network, 164
 - Protocol, 166
 - Prototype, 336
 - proxy server, 199
 - Pseudocode, 218
 - Public key, 201, 530
 - Public-key encryption, 200, 530
 - Push (stack operation), 367
- Q**
- Queue, 136, 367, 379
 - Quick sort algorithm, 241
- R**
- Radio Shack, 25
 - Radix point, 63
 - RAM. *See* Random access memory
 - Random access memory (RAM), 44
 - Rapid prototyping, 336
 - Ravel, Maurice, 181
 - Reactive robot, 490
 - Read-only memory (ROM), 145
 - Read operation, 44, 96
 - Ready (process), 148
 - Real data type, 278
 - Real-time processing, 138
 - Real-world knowledge, 452, 476
 - Recursion, 240, 246
 - Recursive function theory, 502
 - Recursive structures, 240, 559
 - Reduced instruction set computer (RISC), 99, 102

- Reference, 379
 - Reflex action, 452
 - Refresh circuit, 44
 - Region finding, 458
 - Register, 96
 - Registrar, 173
 - Reinforcement (learning by), 478
 - Relation (database), 413
 - Relational database model, 413
 - Relative addressing, 566
 - Relative encoding, 78
 - Reliable protocol, 195
 - Repeat control structure, 234
 - Repeater, 168
 - Requirements (of software), 333
 - Reserved words, 298
 - Resolution, 314
 - Resolvent, 315
 - Responsible technology, 538
 - Right-child pointer, 381
 - Ring network topology, 164, 166
 - Ripple adder, 547
 - RISC. *See* Reduced instruction set computer
 - Risks forum, 345
 - Ritchie, Dennis, 551
 - Rivest, Ron, 200, 529
 - RMI. *See* Remote method invocation
 - Robocup, 490
 - Robotics, 489
 - Rogerian thesis, 456
 - Roll back, 428
 - ROM. *See* Read-only memory
 - Root node, 368
 - Root pointer, 381
 - Rotation, 115
 - Rotation delay, 48
 - Round-off error, 74
 - Router, 169
 - Row major order, 373
 - RSA algorithm, 200, 529, 531
 - Run-length encoding, 77
- S**
- Scalable fonts, 57
 - Scaling, 139
 - Scheduler, 145
 - Schema, 408
 - Scope (of a variable), 289
 - SDRAM. *See* Synchronous DRAM
 - Search engine, 182
 - Search tree, 467
 - Second-generation language, 269
 - Sector, 47
 - Secure shell (SSH), 180
 - Secure sockets layer (SSL), 200
 - Security, 155, 196
 - Seek time, 48
 - SELECT (database operation), 417
 - Selection sort algorithm, 239, 241
 - Selective Service, 442
 - Self-reference, 515
 - Self-terminating program, 516
 - Semantic analysis, 460
 - Semantic net, 462
 - Semantics, 217
 - Semantic Web, 188, 461
 - Semaphore, 152
 - Sempron (cpu), 96
 - Sentinel, 432
 - Sequential file, 430
 - Sequential pattern analysis, 440
 - Sequential search algorithm, 231, 249
 - complexity of, 249, 521
 - Serial communication, 121
 - Server, 170
 - Server-side, 188
 - Servlet, 189
 - Set theory, 255
 - SGML. *See* Standard Generalized Markup Language
 - Shamir, Adi, 200, 529
 - Shared lock, 429
 - Shell, 142
 - Siblings (in a tree), 368
 - Sign bit, 67, 72
 - SIMD, 124
 - Simulation oriented research, 455
 - SISD, 124
 - Sloan, Alfred, 133
 - Smoothing, 459
 - Sniffing software, 156, 197

- Social Security Administration, 443
 - Software, 18
 - Software analyst, 334
 - Software engineering, 328
 - Software life cycle, 331
 - Software requirements document, 333
 - Software verification, 253
 - Source (version of web page), 183
 - Source program, 296
 - Space complexity, 524
 - Spam, 198
 - Spam filters, 199
 - Special-purpose register, 96
 - Specifications (of software), 333
 - Spoofing, 198
 - Spooling, 153
 - Spreadsheet systems, 76, 478
 - Spyware, 197
 - SQL. *See* Structured Query Language
 - SSH. *See* Secure shell
 - SSL. *See* Secure sockets layer
 - Stack, 366, 378
 - Stack pointer, 378
 - Standard Generalized Markup Language (SGML), 187
 - Standard Template Library (STL), 343, 396
 - Star network topology, 164
 - Starvation, 160
 - State
 - of process, 147
 - of production system, 464
 - of Turing machine, 505
 - State graph, 464
 - Status word, 120
 - Stepwise refinement, 227
 - Stibitz, George, 22
 - Stored program concept, 98
 - Stream, 41
 - Strong AI, 459
 - Strongly typed, 302
 - Stroustrup, Bjarne, 552
 - Structure chart, 338
 - Structured programming, 285
 - Structured Query Language (SQL), 422
 - Structured walkthrough, 351
 - Subprogram, 220
 - Subroutine, 220
 - Subschema, 409
 - Substantial similarity, 356
 - Subtree, 368
 - Successor function, 507, 513
 - Sun Microsystems, 172, 189, 298, 344, 352, 558
 - Super user, 155
 - Supervised training, 478
 - Switch, 168
 - Symbol table, 302
 - Synapse, 481
 - Synchronous DRAM, 45
 - Syntactic analysis, 460
 - Syntax, 217
 - Syntax diagram, 298
 - System documentation, 354
 - System requirements, 333
 - System software, 140
 - System specifications, 333
 - System/360 (IBM), 357
- T**
- Tag (in markup language), 183
 - Tail (of a list), 366
 - Tail pointer, 379
 - Task, 312
 - TCP. *See* Transmission Control Protocol
 - TCP/IP protocols, 194
 - Technical documentation, 355
 - Telnet, 179
 - Temporal masking, 81
 - Terminal (in a syntax diagram), 299
 - Terminal node, 368
 - Termination condition, 233
 - Test-and-set instruction, 152
 - Testing (software), 257
 - Text editor, 54
 - Text file, 54, 431
 - Text file (FTP), 178
 - Therac-25, 345
 - Third-generation language, 269
 - Thoreau, Henry David, 162
 - Thread, 312
 - Threshold, 481
 - Throughput, 124

Throwaway prototyping, 336
 TIFF, 81
 Time complexity, 521
 Time-sharing, 139, 148
 Time slice, 148
 TLD. *See* Top-level domain
 Token (in a network), 167
 Token (in a translator), 297
 Token ring protocol, 166
 Top-down methodology, 227
 Top-level domain (TLD), 176
 Top of stack, 366
 Topology (of a network), 164
 Torvalds, Linus, 142
 Towers of Hanoi, 262
 Track, 47
 Trade secret law, 357
 Training set, 478
 Transaction file, 432
 Transcendental functions, 595
 Transfer rate, 48
 Translation, 296
 Translator, 270
 Transmission Control Protocol (TCP), 194
 Transport layer (Internet), 191
 Traveling salesman problem, 526
 Tree, 367
 Trigonometric functions, 503
 Trojan horse, 197
 TrueType, 57
 Truncation error, 74
 Tuple (in a relation), 413
 Turing, Alan M., 455, 456, 504, 507, 508
 Turing computable, 507
 Turing machine, 504, 508
 Turing test, 455
 Turn key system, 147
 Two's complement notation, 56, 66
 Type. *See* Data type

U

UDP. *See* User Datagram Protocol
 UML. *See* Unified Modeling Language
 Unconditional jump, 100
 Unicode, 54

Unification, 317
 Unified Modeling Language (UML), 348
 Uniform resource locator (URL), 181
 Universal programming language, 509
 Universal serial bus (USB), 118, 121
 University of Helsinki, 142
 University of Pennsylvania, 23, 105
 UNIX, 136, 179
 Unmanned Aerial Vehicle (UAV), 490
 Unsolvable problem, 519
 URL. *See* Uniform resource locator
 USA PATRIOT Act, 204
 USB. *See* Universal serial bus
 U.S. Department of Defense, 333, 551
 Use case, 348
 Use case diagram, 348
 User Datagram Protocol (UDP), 195
 User-defined data type, 392
 User documentation, 354
 Utilitarianism, 30
 Utility software, 141


V

Validation testing, 335
 Variable, 278
 Variable-length codes, 77
 Vector (image representation), 56
 Verification (of software), 253
 Virtual memory, 145
 Virus, 197, 456
 Visual Basic, 290
 Voice over Internet, 177
 Voice over IP. *See* Voice over Internet
 VOIP. Voice over Internet
 von Helmholtz, H., 226
 von Neumann architecture, 120, 124
 von Neumann bottleneck, 120
 von Neumann, John, 98, 105




W


W3. *See* World Wide Web
 W3C. *See* World Wide Web Consortium
 WAN. *See* Wide area network
 Waiting (process), 148
 Waltz, D., 592

- Waterfall model, 89
 - Weak AI, 459
 - Web, 181
 - Web page, 181
 - Web server, 181
 - Website, 181
 - Weight (in a processing unit), 482
 - Weighted sum, 481
 - Weizenbaum, Joseph, 456, 493
 - Welsh, Terry, 78
 - While control structure, 220, 234, 285, 432
 - Wide area network (WAN), 164
 - Window manager, 143
 - Window (in GUI), 143
 - Windows (operating system), 136, 290
 - Word processor, 54, 478
 - World War II, 23, 270
 - World Wide Web, 181
 - World Wide Web Consortium (W3C), 183
 - Worm, 197
 - Worst-case analysis, 250
 - Wound-wait protocol, 430
 - Wozniak, Stephen, 23
 - Wright brothers, 105
 - Write operation, 44, 96
 - WWW. *See* World Wide Web
- X**
- XHTML, 187
 - XML. *See* Extensible Markup Language
 - XOR. *See* Exclusive or
 - XP. *See* Extreme programming
- Z**
- Ziv, Jacob, 78
 - Zoned-bit recording, 47







Notes









Notes









Notes








Notes









Notes









Notes









Notes





Notes





Notes

