

# *hypothetical answers to continuous queries over data streams*

luís cruz-filipe<sup>1</sup>

(joint work with graça gaspar<sup>2</sup> & isabel nunes<sup>2</sup>)

<sup>1</sup>department of mathematics and computer science  
university of southern denmark

<sup>2</sup>department of informatics  
faculty of sciences, university of lisbon

cl seminar  
january 17th, 2020

# Outline

- 1 *introduction*
- 2 *denotational semantics*
- 3 *operational semantics*
- 4 *negation*
- 5 *conclusions*

## *the context*

continuous queries over data streams

- modern-day distributed systems
- information pouring in from e.g. sensors
- queries need to be answered in real-time
- answers are output as information arrives

## *the context*

continuous queries over data streams

- modern-day distributed systems
- information pouring in from e.g. sensors
- queries need to be answered in real-time
- answers are output as information arrives

## *several models*

common approach: rule-based reasoning

- usually based on variants of datalog
- set of facts dynamically obtained from a data stream  $D$
- common problems: blocking queries, unbound wait

## *current contribution*

online algorithm with offline pre-processing outputting partial information

- information that an answer may be output in the future
- fundamentation for such hypothetical answers

### *current contribution*

online algorithm with offline pre-processing outputting partial information

- information that an answer may be output in the future
- fundamentation for such hypothetical answers

### *practical relevance*

partial information allows for preventive measures to be taken

- an action might be required  $\rightsquigarrow$  maybe prepare for it
- a failure might occur  $\rightsquigarrow$  steps may be taken to prevent it

the justification for *why* the hypothetical answer is output can be used to evaluate its likelihood

*detecting malfunctions in wind turbines*

$$\text{Temp}(X, \text{high}, T) \rightarrow \text{Flag}(X, T)$$

$$\text{Flag}(X, T) \wedge \text{Flag}(X, T + 1) \rightarrow \text{Cool}(X, T + 1)$$

$$\text{Cool}(X, T) \wedge \text{Flag}(X, T + 1) \rightarrow \text{Shdn}(X, T + 1)$$

$$\text{Shdn}(X, T) \rightarrow \text{Malf}(X, T - 2)$$

- a data center managing a set of wind turbines receives temperature readings  $\text{Temp}(\text{Device}, \text{Level}, \text{Time})$  from sensors in each turbine
- the data centre tracks activation of cooling measures in each turbine, recording malfunctions and shutdowns by means of a program in temporal datalog

*detecting malfunctions in wind turbines*

$$\text{Temp}(X, \text{high}, T) \rightarrow \text{Flag}(X, T)$$

$$\text{Flag}(X, T) \wedge \text{Flag}(X, T + 1) \rightarrow \text{Cool}(X, T + 1)$$

$$\text{Cool}(X, T) \wedge \text{Flag}(X, T + 1) \rightarrow \text{Shdn}(X, T + 1)$$

$$\text{Shdn}(X, T) \rightarrow \text{Malf}(X, T - 2)$$

*query:*  $Q = \text{Malf}(X, T)$

if:

$$\text{Temp}(\text{wt25}, \text{high}, i) \quad i = 0, 1, 2$$

all arrive at the data stream, then  $\{X := \text{wt25}, T := 0\}$  is an answer to  $Q$



*detecting malfunctions in wind turbines*

$$\text{Temp}(X, \text{high}, T) \rightarrow \text{Flag}(X, T)$$

$$\text{Flag}(X, T) \wedge \text{Flag}(X, T + 1) \rightarrow \text{Cool}(X, T + 1)$$

$$\text{Cool}(X, T) \wedge \text{Flag}(X, T + 1) \rightarrow \text{Shdn}(X, T + 1)$$

$$\text{Shdn}(X, T) \rightarrow \text{Malf}(X, T - 2)$$

*query:*  $Q = \text{Malf}(X, T)$

but: once

$$\text{Temp}(\text{wt25}, \text{high}, 0)$$

arrives, we already know that  $\{X := \text{wt25}, T := 0\}$  *might* become an answer to  $Q$

*detecting malfunctions in wind turbines*

$$\text{Temp}(X, \text{high}, T) \rightarrow \text{Flag}(X, T)$$

$$\text{Flag}(X, T) \wedge \text{Flag}(X, T + 1) \rightarrow \text{Cool}(X, T + 1)$$

$$\text{Cool}(X, T) \wedge \text{Flag}(X, T + 1) \rightarrow \text{Shdn}(X, T + 1)$$

$$\text{Shdn}(X, T) \rightarrow \text{Malf}(X, T - 2)$$

*query:*  $Q = \text{Malf}(X, T)$

and since

$$\text{Temp}(\text{wt42}, \text{high}, 0)$$

does *not* arrive, we know that  $\{X := \text{wt42}, T := 0\}$  *cannot* become an answer to  $Q$

## *detecting malfunctions in wind turbines*

$$\text{Temp}(X, \text{high}, T) \rightarrow \text{Flag}(X, T)$$

$$\text{Flag}(X, T) \wedge \text{Flag}(X, T + 1) \rightarrow \text{Cool}(X, T + 1)$$

$$\text{Cool}(X, T) \wedge \text{Flag}(X, T + 1) \rightarrow \text{Shdn}(X, T + 1)$$

$$\text{Shdn}(X, T) \rightarrow \text{Malf}(X, T - 2)$$

## *assumption*

we assume that the data stream  $D$  is complete at each time point, i.e. at time  $t$  it contains all facts with timestamps  $\leq t$   
we call this set of facts the  $\tau$ -history  $D_\tau$

# Outline

- 1 *introduction*
- 2 *denotational semantics*
- 3 *operational semantics*
- 4 *negation*
- 5 *conclusions*

## *extensional predicates*

we assume that the predicate symbols occurring in  $D$  do not appear in heads of rules in  $\Pi$  – these are *extensional* predicates

## *hypothetical answers*

a *hypothetical answer* to a query  $Q$  over a program  $\Pi$  and a history  $D_\tau$  is a pair  $\langle \theta, H \rangle$ , where  $\theta$  is a substitution and  $H$  is a finite set of ground extensional atoms (the hypotheses) such that:

- $\theta$  only instantiates variables free in  $Q$
- $H$  only contains atoms with time stamp  $\tau' > \tau$
- $\Pi \cup D_\tau \cup H \models Q\theta$
- $H$  is minimal with respect to set inclusion

*our example program*

$$\text{Temp}(X, \text{high}, T) \rightarrow \text{Flag}(X, T)$$

$$\text{Flag}(X, T) \wedge \text{Flag}(X, T + 1) \rightarrow \text{Cool}(X, T + 1)$$

$$\text{Cool}(X, T) \wedge \text{Flag}(X, T + 1) \rightarrow \text{Shdn}(X, T + 1)$$

$$\text{Shdn}(X, T) \rightarrow \text{Malf}(X, T - 2)$$

*query*

$$Q = \text{Malf}(X, T)$$

*our example program*
$$\begin{aligned} \text{Temp}(X, \text{high}, T) &\rightarrow \text{Flag}(X, T) \\ \text{Flag}(X, T) \wedge \text{Flag}(X, T + 1) &\rightarrow \text{Cool}(X, T + 1) \\ \text{Cool}(X, T) \wedge \text{Flag}(X, T + 1) &\rightarrow \text{Shdn}(X, T + 1) \\ \text{Shdn}(X, T) &\rightarrow \text{Malf}(X, T - 2) \end{aligned}$$
*query*
$$Q = \text{Malf}(X, T)$$
$$\text{Temp}(\text{wt25}, \text{high}, 0) \in D_0$$

$\langle \{X := \text{wt25}, T := 0\}, H \rangle$  is a hypothetical answer to  $Q$  for  
 $H = \{\text{Temp}(\text{wt25}, \text{high}, i) \mid i = 1, 2\}$

*our example program*
$$\begin{aligned} \text{Temp}(X, \text{high}, T) &\rightarrow \text{Flag}(X, T) \\ \text{Flag}(X, T) \wedge \text{Flag}(X, T + 1) &\rightarrow \text{Cool}(X, T + 1) \\ \text{Cool}(X, T) \wedge \text{Flag}(X, T + 1) &\rightarrow \text{Shdn}(X, T + 1) \\ \text{Shdn}(X, T) &\rightarrow \text{Malf}(X, T - 2) \end{aligned}$$
*query*
$$Q = \text{Malf}(X, T)$$
$$\text{Temp}(\text{wt42}, \text{high}, 0) \notin D_0$$

$\langle \{X := \text{wt42}, T := 0\}, H \rangle$  is not a hypothetical answer to  $Q$  for any  $H$



## *supported answers*

- a non-empty set of facts  $E \subseteq D_\tau$  is *evidence* supporting a hypothetical answer  $\langle \theta, H \rangle$  if  $E$  is a minimal set s.t.  $\Pi \cup E \cup H \models P\theta$
- a *supported answer* to  $Q$  over  $D_\tau$  is a triple  $\langle \theta, H, E \rangle$  where  $E$  is evidence supporting  $\langle \theta, H \rangle$

### *supported answers*

- a non-empty set of facts  $E \subseteq D_\tau$  is *evidence* supporting a hypothetical answer  $\langle \theta, H \rangle$  if  $E$  is a minimal set s.t.  $\Pi \cup E \cup H \models P\theta$
- a *supported answer* to  $Q$  over  $D_\tau$  is a triple  $\langle \theta, H, E \rangle$  where  $E$  is evidence supporting  $\langle \theta, H \rangle$

### *in our example program*

the fact

$$\text{Temp}(\text{wt25}, \text{high}, 0) \in D_0$$

is evidence that  $\langle \{X := \text{wt25}, T := 0\}, H \rangle$  is a hypothetical answer to  $Q$  for

$$H = \{\text{Temp}(\text{wt25}, \text{high}, i) \mid i = 1, 2\}$$

# Outline

- 1 *introduction*
- 2 *denotational semantics*
- 3 *operational semantics*
- 4 *negation*
- 5 *conclusions*

## *future atom*

an atom  $P(t_1, \dots, t_n)$  is a *future atom wrt*  $\tau$  if  $P$  is a temporal predicate and the time term  $t_n$  either contains a temporal variable or is a time instant  $t_n > \tau$

## *future atom*

an atom  $P(t_1, \dots, t_n)$  is a *future atom wrt*  $\tau$  if  $P$  is a temporal predicate and the time term  $t_n$  either contains a temporal variable or is a time instant  $t_n > \tau$

## *sld-refutation, revisited*

an *sld-refutation with future premises* of  $\Pi$  and  $Q$  over  $D_\tau$  is a finite sld-derivation of  $P \cup D_\tau \cup \{\neg Q\}$  whose last goal only contains extensional future atoms wrt  $\tau$

### *future atom*

an atom  $P(t_1, \dots, t_n)$  is a *future atom wrt*  $\tau$  if  $P$  is a temporal predicate and the time term  $t_n$  either contains a temporal variable or is a time instant  $t_n > \tau$

### *sld-refutation, revisited*

an *sld-refutation with future premises* of  $\Pi$  and  $Q$  over  $D_\tau$  is a finite sld-derivation of  $P \cup D_\tau \cup \{\neg Q\}$  whose last goal only contains extensional future atoms wrt  $\tau$

### *computed answer with premises*

if  $\mathcal{D}$  is an sld-refutation with future premises of  $Q$  over  $D_\tau$  with last goal  $G = \neg \wedge_i \alpha_i$  and  $\theta$  is the restriction of the composition of the substitutions in  $\mathcal{D}$  to  $\text{var}(Q)$ , then  $\langle \theta, \wedge_i \alpha_i \rangle$  is a *computed answer with premises* to  $Q$  over  $D_\tau$

## *independence of the computation rule*

from classical results about sld-resolution, we can reorder the steps of any sld-refutation with future premises to use the facts from  $D_T$  in temporal order

## *independence of the computation rule*

from classical results about sld-resolution, we can reorder the steps of any sld-refutation with future premises to use the facts from  $D_T$  in temporal order

## *key idea*

this simple observation gives us an incremental algorithm

- at each step, update any “ongoing” derivations with the new facts
- any derivations expecting facts that did not arrive are forgotten
- some pre-processing allows us to identify relevant facts



## *a two-stage algorithm*

### *pre-processing step*

we compute answers with premises to  $Q$  over  $D_{-1}$

- we store the minimal answers wrt set inclusion in a set  $\mathcal{P}_Q$
- we initialize the set  $\mathcal{S}_{-1}$  of *schematic supported answers* to  $\emptyset$

## a two-stage algorithm

### pre-processing step

we compute answers with premises to  $Q$  over  $D_{-1}$

- we store the minimal answers wrt set inclusion in a set  $\mathcal{P}_Q$
- we initialize the set  $\mathcal{S}_{-1}$  of *schematic supported answers* to  $\emptyset$

### online step

to compute  $\mathcal{S}_{\tau+1}$  from  $\mathcal{S}_\tau$  and  $D_{\tau+1} \setminus D_\tau$ :

- for each answer in  $\mathcal{P}_Q$ , we perform sld-resolution between its set of elements with minimal timestamps and  $D_{\tau+1} \setminus D_\tau$
- for each element of  $\mathcal{S}_\tau$ , we perform sld-resolution between its set of elements with timestamp  $\tau + 1$  and  $D_{\tau+1} \setminus D_\tau$

each refutation yields an element in  $\mathcal{S}_{\tau+1}$

## *termination (i)*

under suitable assumptions, the pre-processing step terminates

### *termination (i)*

under suitable assumptions, the pre-processing step terminates

### *termination (ii)*

the online step terminates in polynomial time in the size of  $\mathcal{S}_\tau$ ,  $\mathcal{P}_Q$   
and  $D_{\tau+1} \setminus D_\tau$

### *termination (i)*

under suitable assumptions, the pre-processing step terminates

### *termination (ii)*

the online step terminates in polynomial time in the size of  $\mathcal{S}_\tau$ ,  $\mathcal{P}_Q$  and  $D_{\tau+1} \setminus D_\tau$

### *soundness*

every instantiation of an element of  $\mathcal{S}_\tau$  is a supported answer to  $Q$  over  $\Pi$  and  $D_\tau$

### *termination (i)*

under suitable assumptions, the pre-processing step terminates

### *termination (ii)*

the online step terminates in polynomial time in the size of  $\mathcal{S}_\tau$ ,  $\mathcal{P}_Q$  and  $D_{\tau+1} \setminus D_\tau$

### *soundness*

every instantiation of an element of  $\mathcal{S}_\tau$  is a supported answer to  $Q$  over  $\Pi$  and  $D_\tau$

### *completeness*

every supported answer to  $Q$  over  $\Pi$  and  $D_\tau$  is an instantiation of an element of  $\mathcal{S}_\tau$

# Outline

- 1 *introduction*
- 2 *denotational semantics*
- 3 *operational semantics*
- 4 *negation***
- 5 *conclusions*

## *safe negation*

we can add (safe) negation in the usual way to our framework

- most results go through (but complexity increases)



## *safe negation*

we can add (safe) negation in the usual way to our framework

- most results go through (but complexity increases)

## *stratification*

stronger results in presence of stratified negation

- more complex notion
- possibly infinitely many strata
- not necessarily temporally ordered

## *our contribution*

- new notion of stratification
- decision procedure + algorithm returning a finite representation of the strata

## *our contribution*

- new notion of stratification
- decision procedure + algorithm returning a finite representation of the strata

## *results*

- fixed-parameter tractability for the online step
- soundness and completeness wrt well-founded semantics (wip)

# Outline

- 1 *introduction*
- 2 *denotational semantics*
- 3 *operational semantics*
- 4 *negation*
- 5 *conclusions*

## *main achievements*

### our contribution

- denotational semantics for hypothetical answers
- notion of evidence for hypothetical answers
- operational semantics based on sld-resolution
- online algorithm with offline pre-processing outputting partial information
- parallel computation of answers (bypasses some usual problems)
- more expressive negation in the language
- new (decidable) notion of stratification with computable strata

### future work

- an implementation. . .

thank you!